

HANDI-KLEEN

SAFETY PARTS WASHERS and SAFETY TANKS

**SAFER PARTS CLEANING
... ON-THE-SPOT
BUDGET PRICES
... PLUS GRAYMILLS QUALITY**

**CHOICE OF
BENCH TOP
OR FLOOR
MODELS**

GRAYMILLS CORP. 3705 N. LINCOLN AVE.

CHICAGO,

ILLINOIS 60613



MODEL
PL18-A

HANDI-KLEEN CAN BE USED IN ALL TYPES OF PARTS CLEANING WORK

Applications for these small versatile units is almost unlimited. All types of service shops, as well as plant maintenance shops and in-plant station cleaning needs can be accommodated with Handi-Kleen. For example:

Service Stations	Golf Course Equipment
Auto Repair Shops	Vending Machines
New Car Dealers	Vocational Schools
Jobber Machine Shops	Appliance Service Shops
Farm Equipment Dealers	Electric Motor Repair
Lawn and Garden Shops	Industrial Maintenance Shops
Recreational Vehicle Repair	Fleet Repair Shops
Marinas	and many, many more.

HANDI-KLEEN

SAFETY PARTS WASHERS

Handi-Kleen Safety Parts Washers are designed for light duty parts cleaning work. Flowing solvent is used to flush oil, grease and grime from metal parts . . . usually with an assist from a mechanic or operator with a parts cleaning brush.

LOW-COST OPERATION

Units operate with as little as 1 gallon of cleaning solvent, yet have a maximum capacity of 5 gallons. Solvent is filtered and recirculated, enabling use over longer periods with resultant savings. Handi-Kleen Parts Washers operate on standard electric current at minimal cost. (Air motor models also available).


ON-THE-SPOT CONVENIENCE

Handi-Kleen Safety Parts Washers can be installed and used wherever the cleaning work is required. It eliminates time wasted moving parts to cleaning room and speeds completion of actual job. Handi-Kleens are always ready to use when needed.

IMPROVED SAFETY FACTOR

Now it's possible for every small shop as well as large plants to eliminate the hazards of open buckets and other makeshift cleaning devices. The safety cover on Handi-Kleen Parts Washers provides dual protection. It can be easily closed when not in use to reduce solvent fumes and evaporation in work areas. It also is a safeguard in event of fire.


SPECIFICATIONS and DIMENSIONS



4 MODELS
AVAILABLE
IN EACH
SERIES

2 FLOOR
MODELS

2 BENCH
MODELS



SERIES 32 PARTS WASHERS

Includes safety cover, pump, work shelf, sludge tray, flexible metal flush hose.

MODEL NO.	TYPE	MOTOR
P32-A	Bench-top no legs	115 V. Elec.
P32-GAM	Bench-top no legs	Air
PL32-A	Floor model with legs	115 V. Elec.
PL32-GAM	Floor model with legs	Air


SERIES 18 PARTS WASHERS

Includes safety cover, pump, work shelf, sludge tray, flexible metal flush hose.

MODEL NO.	TYPE	MOTOR
P18-A	Bench-top no legs	115 V. Elec.
P18-GAM	Bench-top no legs	Air
PL18-A	Floor model with legs	115 V. Elec.
PL18-GAM	Floor model with legs	Air

HANDI-KLEEN CONSTRUCTION AND FEATURES

Construction and features shown are identical on all Series 32 and Series 18 HANDI-KLEEN Safety Parts Washers.



Reflective white cover aids work visibility


Heavy duty flexible metal hose and nozzle for ease of flushing

U.L. fusible link melts at 165°F. Closes cover automatically in case of fire.

Overlapping safety cover opens and closes manually without disengaging safety mechanism. Enables closing when not in use to minimize solvent evaporation.


Filter screen surrounds pump to guard against recirculation of chips and dirt through pump and hose.

Convenient on/off toggle switch




Abrasive resistant industrial type centrifugal pump. No bearings in liquid. No seals to leak. Pump lifts out for easy removal of sludge from pump reservoir.

Removable sloped metal work shelf above solvent level. Keeps parts off bottom of tank. Solvent flows back through shelf drain, sludge tray and is recirculated by pump through metal flush hose.



Large tank and cleaning area. Rugged heavy gauge steel construction throughout.

MODEL
PL32-A




Pump available with choice of electric or air motors

Sludge collector tray. Easily removed for cleaning.



Graymills hand-saving cleaning fluid, Super Agitene is recommended for use in HANDI-KLEEN units. Just pour in contents of 5 gallon can and you're ready to operate.

Here's how HANDI-KLEEN works:



Handi-Kleen holds a maximum of 5 gallons of solvent. The solvent level remains below the work shelf to provide a clear work area for cleaning. When turned on, the pump recirculates the solvent from tank to the flush hose where parts are cleaned by rinsing and parts brush.

HANDI-KLEEN

SAFETY TANKS

Handi-Kleen Safety Tanks are available in the same combination of sizes and models as the Safety Parts Washers. Used primarily to rinse small parts by placing in soak baskets and immersing in the cleaning solvent. These units do not include the pump, flush hose, work shelf or sludge tray, but are equipped with safety cover and handy drain. They can be easily converted to Handi-Kleen Parts Washers by addition of these accessories when so desired.



MODEL
SL18

SERIES 32 SAFETY TANKS		Includes safety cover only
MODEL NO.	TYPE	
S32	Bench-top no legs	
SL32	Floor Model with legs	
SERIES 18 SAFETY TANKS		Includes safety cover only
MODEL NO.	TYPE	
S18	Bench-top no legs	
SL18	Floor Model with legs	



MODEL
SL32

NOTE

Dimensions for Safety Tanks are the same as the comparable model Parts Washer. For example, S18 is the same as P18 less the pump reservoir. Check sizes on page 2.

The "Hand Saver" parts cleaning solvent

GRAY-MILLS
**SUPER
AGITENE**

Contains 8 pure ingredients

FOR FASTER, EASIER CLEANING
TO REDUCE CHAPPING - SKIN IRRITATION
TO REDUCE CHANCE OF DERMATITIS
TO PREVENT RUST
TO PROMOTE SAFETY
FOR LONGER FLUID "CLEANING LIFE"



The ideal cleaning fluid for use in Handi-Kleen Parts Washers and Safety Tanks. Super Agitene is a clear green parts cleaning fluid with a mild "fresh" odor. It's a far superior, faster cleaner than ordinary safety solvents, yet is relatively pleasant to work with. It helps protect the workers' hands and once you try it . . . you'll always buy it. Super Agitene is stable and will not corrode metals. Flash point is 104°F. U.L. listed

GRAY-MILLS

PARTS CLEANING BRUSHES



Graymills parts cleaning brushes are specifically designed for tough parts cleaning work. They out-wear ordinary brushes and won't ball up, flare-out or get flabby.

TYPE 5D: DOUBLE BRUSH

A unique double duty parts cleaning tool with carefully polished wooden tapered handle, 12" in length. Has special crimped nylon brush fibres lock-bonded at either end. A heavy brush (2½" bristles) at one end for broad cleaning work and a fine brush (1½" bristles) at the other for getting in crevices.

GRAYMILLS CORP. 3705 N. Lincoln Ave., Chicago, Il. 60613

Telephone: AC 312/477-4100